

I hereby certify that this correspondence is being filed via  
EFS Web with the United States Patent and Trademark Office  
on February 27, 2009

TOWNSEND and TOWNSEND and CREW LLP

By: Paul Kane

AMENDMENT UNDER 37 CFR 1.116  
EXPEDITED PROCEDURE –  
EXAMINING GROUP 1652

PATENT

Attorney Docket No.: 20695C-008700US

Client Ref. No.: PL-279.00 US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Varadi et al.

Application No.: 10/816,099

Filed: March 31, 2004

For: KITS FOR MEASURING THROMBIN  
GENERATION

Customer No.: 44183

Confirmation No. 9454

Examiner: Rosanne Kosson

Technology Center/Art Unit: 1652

SUPPLEMENTAL RESPONSE UNDER 37  
CFR 1.116 EXPEDITED PROCEDURE  
EXAMINING GROUP 1652

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Commissioner:

Supplemental to Applicants' amendment filed February 19, 2009 in response to the Final Office Action mailed November 21, 2008 on the above-referenced application, Applicants note a typographical error in the last sentence of the last paragraph of page 7 bridging to page 8 of the "**Remarks**" section of the February 19, 2009 amendment where the references to the samples were inadvertently reversed. The last sentence of the paragraph, which relates to the results summarized in Table 1, should read that "...the DMSO concentration of the solution prior to lyophilization is not determinative of the increased solubility observed for samples 3 and 4 in comparison to sample 1a."

Appl. No. 10/816,099  
Amdt. dated February 27, 2009  
Amendment under 37 CFR 1.116 Expedited Procedure  
Examining Group 1652

PATENT

If the Examiner believes a telephone conference would expedite prosecution of this application, please telephone the undersigned at 415-576-0200.

Respectfully submitted,

Jean M. Lockyer  
Reg. No. 44,879

TOWNSEND and TOWNSEND and CREW LLP  
Two Embarcadero Center, Eighth Floor  
San Francisco, California 94111-3834  
Tel: 415-576-0200  
Fax: 415-576-0300  
JML:jml  
61809623 v1